

IN THE CLAIMS:

1. (Currently Amended) A box in cardboard or a similar material for medicines or other products, said box comprising:

four sections forming two opposite faces and two opposite sides;

an appendage, said appendage glued to an inside of one of said sides forming a first compartment and a second compartment; and

two closing walls, one of said two faces comprising an opening defined by an incomplete cut line for securing at least a portion of the material covering the opening, said portion of material being removed to extract sheet-like contents located within said first compartment, said glued appendage is shaped approximately like the side to which it is glued and extends to form both a dividing wall that is shaped like a face and is internally adjacent to said face having an opening, and a successive appendage positioned inside and against the other of said two sides, said first compartment being devoid of a closing wall and comprising an aperture accessible for the extraction and insertion of said information sheet ~~independently of the~~ without opening ~~or closing of~~ said second compartment, said information sheet being folded and glued on said portion of material covering said opening.

2. (Previously Presented) A box according to claim 1, wherein one of said closing walls extends from said dividing wall.

3. (Previously Presented) A box according to claim 1, wherein one of said closing walls

extends from the face opposite to the face equipped with the opening.

4. (Canceled)

5. (Previously Presented) A box according to claim 1, wherein said information sheet is glued to said portion covering said opening, that must be removed to allow extraction of said sheet.

6. (Previously Presented) A box according to claim 1, wherein said portion of material covering said opening is smaller than said opening.

7. (Currently Amended) A method for the automated production of a box, the method comprising:

folding an information sheet;

providing four sections of material to form two opposite faces and two opposite sides;

5       gluing an appendage to an inside of one of said sides forming a first compartment and  
a second compartment;

forming two closing walls, one of said two faces comprising an opening defined by an incomplete cut line for securing at least a portion of the material covering the opening, said  
portion of material being removed to extract sheet-like contents located within said first  
10       compartment, said glued appendage being shaped approximately like the side to which it is

glued and extends to form both a dividing wall that is shaped like a face and is internally adjacent to said face having an opening, and a successive appendage positioned inside and against the other of said two sides, said successive appendage forming a stabilizing flap for said ~~dividing~~ dividing wall, said first compartment being devoid of a closing wall and comprising an aperture accessible for the extraction and insertion of said information sheet ~~independently of the~~ without opening ~~or closing~~ of said second compartment;

stabilizing said information sheet with a tear-off adhesive;

applying glue to the information sheet; and

feeding the information sheet for gluing onto one of the walls of said first compartment during paper-product machining processes.

8. (Previously Presented) A method according to claim 7, wherein said dividing wall is formed as an extension of the flap to be glued for making the body of the box.

9. (Previously Presented) A method according to claim 7, wherein in the external face an opening is formed having a portion held on by anchoring sections that can be torn to allow removal of said portion.

10. (Previously Presented) A method according to claim 9, wherein the sheet is glued to the inside surface of said portion.

11. (Currently Amended) A method for creating a box, the method comprising:  
providing contiguous sections, said contiguous sections comprising an appendage;  
folding said sections to form two opposite faces, two opposite sides and two closing  
walls, said faces, said sides and said closing walls defining a main compartment;

5 folding said appendage such that said appendage forms a dividing wall within said main  
compartment forming an additional compartment defined by said dividing wall and one of said  
faces, said additional compartment being devoid of a closing wall, said additional compartment  
comprising an aperture accessible for the extraction and insertion of information sheets, wherein  
said additional compartment is accessible without opening said main compartment  
10 independently of opening or closing of said main compartment;

gluing said appendage to an inside of one of said sides and to said two closing walls; and  
providing an opening in one of said faces defined by an incomplete cut line for securing  
at least a portion of material covering said opening, said portion of material being removed to  
extract contents within said additional compartment.